

Algal Alerts in the Lachlan Catchment

22nd May 2007



Central West Regional Algal Coordinating Committee

This blue-green algal alert report is based on routine monitoring undertaken by the Shire Councils of Cowra, Forbes and Lachlan; State Water and the Department Of Water and Energy

These alert levels apply to **recreational contact**. Drinking water safety thresholds are much more stringent

Lachlan Storages

Table 1 – Total blue-green algal counts and/or biovolume equivalents in Lachlan Catchment storages

Date/Alert	Storage Sites	Current count (total cells/mL / BVEq)	Previous Alert	Dominant species
26/04/07 No Alert	Lake Wyangala Dam Wall / State Rec Area	None detected	Amber	
22/02/07	Lake Wyangala at Grabine (Stn 2)	9,842 1.4 mm ³ /L BVEq	Amber	<i>Microcystis aeruginosa</i>
10/05/07 No Alert	Carcoar Dam.	0 C/mL	Nil	.
30/4/07 AMBER ⇄	Lake Cargelligo	417,797 8.09mm ³ /L BVEq <50% toxic sp.	Amber	<i>Planktolyngbya</i> sp.
30/4/07 RED ↑	Lake Curlew	76,649 5.86 mm ³ /L BVEq		<i>Anabaena circinalis</i>

River Sites

Table 2 – Total blue-green algal counts and/or biovolume equivalents in the Lachlan River

Date/Alert	River Sites	Current count (total cells/mL / BVEq)	Previous Alert	Dominant species
10/05/07 No Alert	Belubula River downstream Carcoar	None detected	Green	
26/04/07	Lachlan River d/s Wyangala Dam	None detected	Amber	
04/05/07 No Alert	Lachlan River @ Cowra	None detected	None detected	
10/05/07 No Alert	Lachlan River @ Forbes	None detected	None detected	
28/11/06	Lachlan River @ Condobolin	None detected	Green	
30/04/07 No Alert ⇄	Lachlan River at Lake Cargelligo Weir	878 C/mL	nil	<i>Aphanocapsa</i> sp
23/04/07 Green ↓	Lachlan River at Lake Brewster Weir	1,588 C/mL 0.20 mm ³ /L BVEq	Green	<i>Anabaenopsis</i> sp
30/04/07 No Alert ↓	Lachlan River at Willandra Weir	5566 C/mL 0.03 mm³/L BVEq	nil	<i>Aphanizomenom</i> sp.
14/05/07 No Alert ↓	Lachlan River at Hillston Weir	None detected	Green	
12/05/07 No Alert ↓	Lachlan River at Booligal Weir	2,878 C/mL 0.01 mm³/L BVEq	Green	<i>Aphanocapsa</i> sp

For media enquiries contact **Anne Brook** on 02 6701 9662

For further information contact **Chris Knight** (02) 6841 7473 at the Department of Water and Energy Dubbo office

For toll free information contact the Central West Algal Information Hotline 1 800 999 457

The total observed cyanobacteria genera that contribute to the current alert level are presented in conjunction with a bio-volume equivalent (BVEq) to *Microcystis aeruginosa* calculated for all contributing cyanobacteria species. These data are presented for information only. We recommend that water treatment and stock management responses should not be altered according to the observed cyanobacteria genera. All Cyanobacteria should be considered as potentially harmful to human and animal health when present in blooms.

River users and landholders are advised to avoid waters in areas subject to RED (High) alert levels or with visible algae scums. They should also consider either alternative sources of water for stock. NSW Health advises that any domestic use of surface water without treatment is dangerous and should be avoided. Note, boiling water contaminated with blue green algae **does not** remove toxins

Alert Definitions as specified in The National Health and Medical Research Council (NHMRC) *Guidelines for Managing Risks in Recreational Water 2005*

The interim use of these guidelines is endorsed by the Scientific Subcommittee of the NSW Algal Advisory Group

Key to alerts for recreational waters

Blue-Green Algal Level	Alert Definition
<p style="text-align: center;">GREEN</p> <p>>500 – <5,000 cells/mL potentially toxic cyanobacteria or biovolume equivalent of >0.04 to <0.4 mm³/L for the combined total of all cyanobacteria</p>	<p>Green Alert</p> <ul style="list-style-type: none"> • Low levels of detected – suggesting base crop of blue green algae may be on the increase <p>Action</p> <ul style="list-style-type: none"> • Continue/increase routine sampling to measure cyanobacterial levels
<p style="text-align: center;">AMBER</p> <p>≥5,000 – <50,000 cells/mL potentially toxic cyanobacteria or biovolume equivalent of >0.4 to <4.0 mm³/L for the combined total of all cyanobacteria</p>	<p>Amber Alert</p> <ul style="list-style-type: none"> • Indicates blue-green algae are multiplying • Water may have a green tinge and musty taste and odour <p>Action</p> <ul style="list-style-type: none"> • Water supply authorities to commence filtering with activated carbon • Investigations into the causes of the elevated levels and increased sampling to enable the risks to recreational users to be more accurately assessed
<p style="text-align: center;">RED</p> <p>>50,000 cells/mL potentially toxic cyanobacteria or biovolume equivalent of ≥ 4 mm³/L for the combined total of all cyanobacteria where a known toxic producer is dominant</p> <p>Or</p> <p>The total biovolume of all cyanobacterial material exceeds 10 mm³/L</p> <p>Or</p> <p>Cyanobacterial blooms are consistently present</p>	<p>Red Alert</p> <ul style="list-style-type: none"> • High levels detected • Indicates “bloom” conditions • Toxicity should be presumed • Water will appear green or brownish and may have a strong musty taste and odour • Surface scums could occur <p>Extreme care should be exercised, and contact with the water should be avoided</p> <p>Action</p> <ul style="list-style-type: none"> • Issue Media Release • Water supply authorities to increase filtering with activated carbon as appropriate • Local authority and health authorities to warn the public that the water body is considered to be unsuitable for primary contact recreation

For media enquiries contact **Anne Brook** on 02 6701 9662

For further information contact **Chris Knight** (02) 6841 7473 at the **Department of Water and Energy** Dubbo office

For toll free information contact the Central West Algal Information Hotline 1 800 999 457